

Self-Locking Roller Shutter

Class 2 certified
Anti-burglary protection without the use of bolts

+ SOLUTIONS

IN ONE

Roller shutter, insect screen and security grille: so much more than a standard shutter!



Enhanced security

The special self-locking system prevents the shutter from being lifted from the outside, helping to deter unwanted break-ins.



More daylight

The micro-perforated surface between the slats lets in far more natural light than a standard roller shutter.



Better visibility

The tiny perforations between each slat give you a wider view outside, without compromising privacy indoors.



Better ventilation

Fresh air flows more freely indoors, thanks to the generous perforated surface that makes Novablock distinctive.




No insects

The clever design gives you an effective barrier against insects and mosquitoes, all in one solution. The shutter's tiny perforations stop them getting through, so you can enjoy a peaceful night's sleep!


Total Protection

Novablock is made from double-walled extruded aluminium profiles and, thanks to its exclusive “S” hook with a self-locking mechanism, delivers maximum security for every type of home. The **Novablock** security system features a 14 mm profile inserted between the main slats, known as the “**Self-locking S Profile**”. This system prevents the shutter from being lifted from the outside. When pushed from the bottom upwards, in fact, the **S Profile** rotates, pressing against the guide and thereby locking the shutter in place. **Novablock** is an attractive and practical alternative to unsightly security bars and, at the same time, provides effective protection against insects and mosquitoes thanks to the special micro-perforated mesh between the louvres. **Novablock** roller shutters can replace old shutters in just a few simple steps, with no building work required: simply fit them into the existing shutter box and guides, improving both comfort and home security.

TECHNICAL SECTION



Section



Ø = WINDING DIAMETER
H = clear opening size

Winding diameter with 60 Ø

CURTAIN HEIGHT (MM)	DIAMETER (MM)
1000	150
1200	170
1400	180
1700	190
2000	200
2300	215
2600	225
3000	230


Anti-burglary in CLASS 2

TECHNICAL FEATURES

The **Novablock** roller shutters are conceived and engineered to provide a high level of security, helping to protect your home from break-in attempts. That's why they're certified to resistance class **RC2** in accordance with **UNI EN 1630**, and are designed to withstand specific forced-entry tools.

- › Extruded aluminium profile
- › Closed slat size: 49 mm
- › Extended slat size: 71.5 mm
- › Weight per square metre: approx. 12 kg
- › Recommended maximum width: 2,750 mm
- › Recommended maximum height: 3,000 mm

Compatible GUIDES



Roller shutter MODELS


Delivery: 1 to 5 pcs. € 22,00 over 5 pcs. € 15,00. All prices exclude VAT at 22%

Delivery to the islands: 1 to 5 pcs. € 25,00 over 5 pcs. € 20,00. All prices exclude VAT at 22%

CODE	DESCRIPTION	MINIMUM INVOICED	UNIT OF MEASURE	PRICE
S/03-T TU-	NOVABLOCK EXTRUDED ALUMINIUM ROLLER SHUTTER, T. RAL	1,2 M ²	M ²	220,00
S/03-T S-	NOVABLOCK EXTRUDED ALUMINIUM ROLLER SHUTTER, T. RAL 8003	1,2 M ²	M ²	236,00
S/03-T S	NOVABLOCK EXTRUDED ALUMINIUM ROLLER SHUTTER, OCHRE YELLOW FINISH	1,2 M ²	M ²	246,00
S/03-T FL-	NOVABLOCK EXTRUDED ALUMINIUM ROLLER SHUTTER, WOOD-EFFECT FINISH	1,2 M ²	M ²	310,00
36764*	NOVABLOCK GUIDE RAIL 31X16X3, RECESSED, RAL FINISH		LM	7,80
36764 - 8003	NOVABLOCK GUIDE RAIL 31X16X3, RECESSED, RAL 8003 FINISH		LM	9,00
36764 - OCHRE	NOVABLOCK GUIDE RAIL 31X16X3, RECESSED, OCHRE YELLOW FINISH		LM	10,00
36764 - WOOD	NOVABLOCK GUIDE RAIL 31X16X3, RECESSED, WOOD-EFFECT FINISH		LM	15,00


* When ordering, please specify the colour as well as the code

Determining FINISHED CURTAIN




Guide art.36764
FINISHED CURTAIN CALCULATION WITH EXISTING 20 mm GUIDE:
FINISHED CURTAIN SIZE = CLEAR OPENING SIZE + 40 mm - 15 mm

FINISHED CURTAIN CALCULATION WITH EXISTING 25 mm GUIDE:
FINISHED CURTAIN SIZE = CLEAR OPENING SIZE + 35 mm



Guide art.919
FINISHED CURTAIN CALCULATION WITH EXISTING 20 mm GUIDE:
FINISHED CURTAIN SIZE = CLEAR OPENING SIZE + 40 mm - 15 mm

FINISHED CURTAIN CALCULATION WITH EXISTING 25 mm GUIDE:
FINISHED CURTAIN SIZE = CLEAR OPENING SIZE + 25 mm



Guide art.5782
FINISHED CURTAIN CALCULATION
FINISHED CURTAIN SIZE = CLEAR OPENING SIZE - 15 mm

Range MATT WRINKLE-FINISH COLOURS

FOR NON-STANDARD RAL COLOURS, A QUOTATION IS AVAILABLE ON REQUEST

	CODE	GUIDES COLOURED		CODE	GUIDES COLOURED
WHITE 9010	S/03-T TU-	✓	GREEN 6009	S/03-T TU-	✓
GREY 7035	S/03-T TU-	✓	BROWN 8003	S/03-T S-	✓
CREAM 1013	S/03-T TU-	✓	OCHRE YELLOW	S/03-T S	✓
BROWN 8017	S/03-T TU-	✓	RENOLIT PLAST 386-73R	S/03-T FL-	✓
GREEN 6009	S/03-T TU-	✓	CHERRY 317-70R	S/03-T FL-	✓

* The colours shown are the best possible representation from our collection. Any differences between these colours and the sample chart colours cannot be disputed.

Accessories


S161.SC.00.20
Roller shutter
box bracket with
removable bush.

€ 4,70 each.



S145.C.FE.20
Type G
zinc-plated
ball bearing.

€ 3,90 each.



S150.S.00.20
Type G roller
shutter box
bracket.

€ 1,50 each.



S132.T.RF.20
Adjustable TN head
with zinc-plated
screw and nuts.

€ 10,48 each.



Brackets

S116.R.08.20
Galvanised steel octagonal roller,
Ø60, thickness 8/10

€ 7,80 per linear metre




S117.R.11.20
Galvanised steel octagonal roller,
Ø70, thickness 11/10

€ 14,50 per linear metre


S121.C.R6.90
Adjustable
telescopic PVC
end cap for Ø60
roller

€ 9,00 each



S121.C.R7.90
Adjustable
telescopic PVC
end cap for Ø70
roller

€ 19,40 each



Motor Accessories

For ALTUS 50 RS IO motor


9206020
Square-shaft
operator bracket.

€ 4,50 each.



9019821
Replacement
operator support.

€ 10,98 each



9910000
Cassette operator
bracket.

€ 2,90 each.



Remote Controls

1811066
Wall switch with white faceplate. €
52,08 each.




Motorisations

Electronic limit switch + Intermediate limit switch + Built-in radio receiver + Slat opening adjustment



CODE	DESCRIPTION	PRICE
1134061	ALTUS RS IO - 6/12 SOMFY FROM KG 12	€ 186,20
1134062	ALTUS RS IO - 10/12 SOMFY FROM KG 20	€ 197,40
1134063	ALTUS RS IO - 20/12 SOMFY FROM KG 40	€ 208,60
1134064	ALTUS RS IO - 30/12 SOMFY FROM KG 60	€ 250,60
1134065	ALTUS RS IO - 40/12 SOMFY UP TO KG.80	€ 267,40
1134066	ALTUS RS IO - 50/12 SOMFY UP TO KG.95	€ 281,40

Other motor options available on request.



- Easy installation thanks to the 6-position star head.
- Limit switch adjustment via remote control.
- Compatible with all IO transmitters (up to 12 remote controls).
- Compatible with all IO sensors (up to 2 sensors).



NOVABLOCK

Authorised Retailer



WWW.NOVABLOCK.IT